

	Hits	Search Text	DBs
1	228	(375/222, 375/365, 375/366, 375/368, 375/219, 375/220).ccls. and modem and handshak\$5 and @ad<"19990914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	229	(375/222, 375/365, 375/366, 375/368, 375/219, 375/220).ccls. and modem\$5 and handshak\$5 and @ad<"19990914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	7	(375/222, 375/365, 375/366, 375/368, 375/219, 375/220).ccls. and modem\$5 and handshak\$5.ti. and @ad<"19990914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	81	(375/222, 375/365, 375/366, 375/368, 375/219, 375/220).ccls. and modem\$5 and ((handshak\$5 or transmi\$5 or recep\$5 or receiv\$5) near2 (version\$5 or revision\$5 or ((manufactur\$5 or platform or diagnostic or identifi\$10 or command\$5 or at) adj (data or informa\$10 or paramet\$5 or cod\$5)))) and @ad<"19990914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	57	(375/222, 375/365, 375/366, 375/368, 375/219, 375/220).ccls. and modem\$5 and ((handshak\$5 or transmi\$5 or recep\$5 or receiv\$5) near2 (version\$5 or revision\$5 or ((manufactur\$5 or platform or diagnostic or identifi\$10 or at) adj (data or informa\$10 or paramet\$5 or cod\$5)))) and @ad<"19990914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
6.	41	(375/222, 375/365, 375/366, 375/368, 375/219, 375/220).ccls. and modem\$5 and ((handshak\$5 or transmi\$5 or recep\$5 or receiv\$5) near2 (version\$5 or revision\$5 or ((manufactur\$5 or platform or diagnostic or identifi\$10 or at) adj (data or informa\$10 or paramet\$5 or cod\$5)))) and (not (version\$5 with transmit\$5)) and @ad<"19990914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	18	(375/222, 375/365, 375/366, 375/368, 375/219, 375/220).ccls. and modem\$5 and handshak\$5 and ((handshak\$5 or transmi\$5 or recep\$5 or receiv\$5) near2 (version\$5 or revision\$5 or ((manufactur\$5 or platform or diagnostic or identifi\$10 or at) adj (data or informa\$10 or paramet\$5 or cod\$5)))) and @ad<"19990914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	11	(US-6535550-\$ or US-6341143-\$ or US-6151355-\$ or US-5619725-\$ or US-5164985-\$ or US-5208812-\$ or US-6542537-\$ or US-6549569-\$ or US-6198783-\$ or US-6026079-\$ or US-5909471-\$).did.	USPAT
9	6	((US-6535550-\$ or US-6341143-\$ or US-6151355-\$ or US-5619725-\$ or US-5164985-\$ or US-5208812-\$ or US-6542537-\$ or US-6549569-\$ or US-6198783-\$ or US-6026079-\$ or US-5909471-\$).did.) and manufactu\$5	USPAT

	Hits	Search Text	DBs
10	18	(375/222, 375/365, 375/366, 375/368, 375/219, 375/220).ccls. and modem\$5 and handshak\$5 and ((handshak\$5 or transmi\$5 or recep\$5 or receiv\$5) near2 (version\$5 or revision\$5 or ((manufactur\$5 or platform or diagnostic or identifi\$10 or at) adj (data or informa\$10 or paramet\$5 or cod\$5)))) and @ad<"19990914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	2	"5311596".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	18	(375/222, 375/365, 375/366, 375/368, 375/219, 375/220).ccls. and modem\$5 and handshak\$5 and ((handshak\$5 or transmi\$5 or recep\$5 or receiv\$5) near2 (version\$5 or revision\$5 or ((manufactur\$5 or platform or diagnostic or identifi\$10 or at) adj (data or informa\$10 or paramet\$5 or cod\$5)))) and @ad<"19990914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	18	(375/222, 375/365, 375/366, 375/368, 375/219, 375/220).ccls. and modem\$5 and handshak\$5 and ((handshak\$5 or transmi\$5 or recep\$5 or receiv\$5) near2 (version\$5 or revision\$5 or ((manufactur\$5 or platform or diagnostic or identifi\$10 or at) adj (data or informa\$10 or paramet\$5 or cod\$5)))) and @ad<"19990914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
14	18	(375/222, 375/365, 375/366, 375/368, 375/219, 375/220, 375/362, 375/354, 370/235, 370/229, 379/1.01, 379/2, 379/418, 455/26.1).ccls. and modem\$5 and handshak\$5 and ((handshak\$5 or transmi\$5 or recep\$5 or receiv\$5) near2 (version\$5 or revision\$5 or ((manufactur\$5 or platform or diagnostic or identifi\$10 or at) adj (data or informa\$10 or paramet\$5 or cod\$5)))) and @ad<"19990914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	3	"6404807".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	10	("4890303" "5199046" "5237561" "5278865" "5394437" "5463661" "5528679" "5724393" "5757849" "5801695").PN.	US-PGPUB; USPAT; USOCR
17	9	mehrabanzad.in.	US-PGPUB; USPAT; USOCR
18	0	(375/222, 375/365, 375/366, 375/368, 375/219, 375/220, 375/362, 375/354, 370/235, 370/229, 379/1.01, 379/2, 379/418, 455/26.1).ccls. and modem\$5 and renegotiat\$5 and (connection near2 alive) and @ad<"19990914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	0	modem\$5 and renegotiat\$5 and (connection\$5 near2 alive) and @ad<"19990914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
20	0	modem\$5 and re\$1negotiat\$5 and (connection\$5 near2 alive) and @ad<"19990914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
21	12	modem\$5 and negotiat\$5 and (connection\$5 near2 alive) and @ad<"19990914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	0	modem\$5 and (negotiat\$5 near2 again)and (connection\$5 near2 alive) and @ad<"19990914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
23	2	modem\$5 and (error\$5 near2 correct\$5) and (connection\$5 near2 alive) and @ad<"19990914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
24	6150	modem\$5 and (error\$5 near2 correct\$5) and @ad<"19990914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
25	438	(379/93.01 or 375/377).ccls. and modem	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
26	824	modem\$7 near2 (compan\$7 or manufac\$7 or version\$7) and @ad<"19990914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
27	2	modem\$7 near2 (compan\$7 or manufac\$7 or version\$7) near2 (find\$7 or locat\$7 of identif\$7) and @ad<"19990914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
28	8	((("4680773") or ("4782498") or ("4215243")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
29	22	modem\$7 and ((manufac\$7 and version\$7) near2 (transmi\$7 or receiv\$7 or recep\$7)) and @ad<"19990914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
30	87	((manufac\$7 and version\$7) near2 (transmi\$7 or receiv\$7 or recep\$7)) and @ad<"19990914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
31	65	S31 not S30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
32	27	((manufac\$7 and version\$7 and (id or identif\$7)) near2 (transmi\$7 or receiv\$7 or recep\$7)) and @ad<"19990914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
33	13	S33 not S30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
34	650	(modem near2 identif\$7) and @ad<"19990914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
35	0	((modem near2 identif\$7) with (model\$7 and manufac\$7 and vers\$7)) and @ad<"19990914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
36	0	((modem near2 identif\$7) with ((model\$7 or manufac\$7) and vers\$7)) and @ad<"19990914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
37	2	((modem near2 identif\$7) same ((model\$7 or manufac\$7) and vers\$7)) and @ad<"19990914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
38	169	((modem near2 identif\$7) and ((model\$7 or manufac\$7) and vers\$7)) and @ad<"19990914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
39	169	((modem near2 identif\$7) and ((model\$7 or manufac\$7) and vers\$7)) and (transmi\$7 or receiv\$7 or recep\$7) and @ad<"19990914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
40	169	((modem near2 identif\$7) and ((model\$7 or manufac\$7) and vers\$7)) and (transmi\$7 or send\$7 or receiv\$7 or recep\$7 or get\$7) and @ad<"19990914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
41	33	((modem near2 identif\$7) and (((model\$7 or manufac\$7) and vers\$7)) with (transmi\$7 or send\$7 or receiv\$7 or recep\$7 or get\$7)) and @ad<"19990914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
42	33	S42 not S33	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
43	18	("4439863" "4495619" "4894844" "5058134" "5063574" "5081649" "5195107" "5267021" "5311547" "5541955" "5581578" "5628013" "5710793" "5721922" "5832044" "5953376" "5970088" "6092095").PN. OR ("6463094").URPN.	US-PGPUB; USPAT; USOCR
44	0	((modem near2 identif\$7) near2 (bas\$3 or using) near2 ((model\$7 or manufac\$7) and vers\$7)) and @ad<"19990914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
45	0	((modem near2 identif\$7) near2 (bas\$3 or us\$3) near2 ((model\$7 or manufac\$7) and vers\$7)) and @ad<"19990914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
46	0	((modem) near2 (bas\$3 or us\$3) near2 ((model\$7 or manufac\$7) and vers\$7)) and @ad<"19990914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
47	4	((transmi\$7 or receiv\$7 or recep\$7 or send\$7 or get\$7) near2 (bas\$3 or us\$3) near2 ((model\$7 or manufac\$7) and vers\$7)) and @ad<"19990914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
48	1	(modem near2 manufact\$7 near2 identif\$7) and @ad<"19990914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
49	4	"5311578".pn. or "4215243".pn. or "4680773".pn. or "4782498".pn.	USPAT
50	134	("3457550" "3569943" "3657700" "3676858" "4000371" "4069392" "4215243" "4270205" "4357700" "4377862" "4387440" "4425664" "4470127" "4549302" "4620294" "4680773" "4680781" "4782498" "4924456" "4931250" "5144651").PN. OR ("4215243" "4680773" "4782498" "5311578").URPN.	US-PGPUB; USPAT; USOCR
51	105	S51 and @ad<"19990914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
52	1	((modem\$7 near2 version\$7) near2 transmi\$7) and @ad<"19990914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
53	3	((modem\$7 near2 version\$7) near2 (receiv\$7 or recep\$7)) and @ad<"19990914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
54	0	((modem\$7 near2 version\$7) near2 (identif\$7 or locat\$7)) and @ad<"19990914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
55	131	(modem\$7 near2 id) and @ad<"19990914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
56	84	(modem\$7 near2 (version\$7 or revision\$7)) and @ad<"19990914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
57	21	(modem\$7 near2 (version\$7 or revision\$7)) with (send\$7 or transmi\$7) and @ad<"19990914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
58	62	(modem\$7 near2 manufactu\$7) with (send\$7 or transmi\$7) and @ad<"19990914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
59	25	(375/222, 375/365, 375/366, 375/368, 375/219, 375/220, 375/362, 375/354, 370/235, 370/229, 379/1.01, 379/2, 379/418, 455/26.1, 379/93.01, 375/377).ccls. and modem\$5 and handshak\$5 and ((handshak\$5 or transmi\$5 or recep\$5 or receiv\$5) near2 (version\$5 or revision\$5 or ((manufactur\$5 or platform or diagnostic or identifi\$10 or at) adj (data or informa\$10 or paramet\$5 or cod\$5)))) and @ad<"19990914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB